



Township / Range Lines:

South line of Townships 29N & 30N in Ranges 1W to 5W

East line of Ranges 2W to 6W in Townships 28N to 30N



Indiana Historical Land Survey Documents project - LW & CJH, 2021


Surveyed: 12/1833

R. 1. 2. 3. 4. 5. 6. W

T's 28. 29. 30. N.

B

Richard
J. W.



V IV III II RIW

J 30104. 98 92 86.


80. 74 68. 62. --- 2 miles by Clark


2956. 50 44. 38.

32. 26. 20. 14. 8.

28

(28) 1.





Var. 6.30. E

1

C. S. T 28 N R 2 M. 22 pr. Mer. Indiana
North On East Side Section 36

16.00 Enter Mt Prairie.

27.00 Leave Same.

40.00 Set $\frac{1}{4}$ Section Post

{ White Oak 7 S 3 M .4 link,
{ do .. 6 N 8 M 5 link,

65.00 Enter Mt Prairie.

78.00 Leave Same.

80.00 Set post corner Sec. 25 & 36

{ Yellow Oak 12 S 24 M 1.40

{ do .. 10 S 58 M .64

Land rolling - Soil good.

Timber Oak - Some Hickory

T28 N. R. & W.

C. L.
North on East Side Section 25

40.00 Set 1/4 Section Post -

{ N. Oak 20 S 65 W. 5.21

{ Do . . 18 N 26 1/2 W 2.97

80.00 Set post corner to Secs. 24 & 25

{ N. Oak 9 N 4 W 37

{ Y. Oak 12 S 31 1/2 W 2.21

Land & Same -

Cr. Ls
North L 28 N. 16 E W.
On East Side Section 24

13.00 Enter Mt Prairie.

28.00 Leave Same.

40.00 Set 1/4 Section Post -

{ M. Oak 9 S 72 W 88

{ Y. Oak 10 N 7 W 1.22

80.00 Set Post corner to Sec. 13 & 24

{ Y. Oak 12 S 80 W 6

{ Elm ... 14 N 27 W 2.5

Land & Same.

T 28 N. R 2 W.

Cs. L,
North On East Side Section 13

5.00 Enter Net prairie.

40.00 Set 1/4 Section Post.

{ N. Oak #28 North 16.35 -
{ no other -

56.00 Leave Net prairie

80.00 Set post corner Sect. 12 & 13

{ N. Oak 12 N 80 W 2.15
{ y. Oak 9 S 60 E. 67

Land much same.

Co. Ls S 28 N. R 2 W
 North On East Side Section 12

40.00 Set 1/4 Section Post -
 { G. Oak 10 S 55 E 9 2
 { W. Oak 10 N 10 W 2.51

65.00 Enter Mt Prairie

80.00 Set post corner Sec. 14 12
 G. Oak 14 N 43 W 2.00
 { Elm .. 9 S 64 W 2.98

Land is much same.

T 28 N. R 2 W
Chs. L.
North On East Side section 1

- 5.00 Leave Mt. Pranis.
40.00 Set 1/4 Section Post.
 { G. Oak 18 N 79 W. 63
 { Do .. 12 N 24 W. 97
 43.00 Enter Mt Pranis.
 65.00 Leave Same.
 72.58 North Bdy - 9 chains + 89 links
 East of corner to Town 29 North
 of R. 1 & 2 West. At post corner
 to Town 28 N. of R. 1 & 2 W.
 { G. Oak 14 S 17 W 2. 63
 { do .. 10 S 3 E 2. 69

Land to Same.

Dec. 4th 1833.

Jan. 6. 30 E.

T29 N R2 142 W.

South Bdy. T29 N R2 142 W

West On Landau from corner Town
~~corn~~ corner. Town 28 & 29 N & 142 W
 on Mer. at Var. E. 10 E. & at 11.
 miles 79 chs. & 50 links inter-
 sected West bdy of Range
 2 West 20. chs & 40 links South
 of corner to Town 28 N & R2
 2 & 3 - -

T29 N R2 2 W.

Began 4 chs. 50 chs. West of N. E
 corner T28 N R2 3 W.

T 29 N. R. 1 W.

Chs. L.

Met On South Side Section 36

8.00 Leave Oak Land

8.20 Stream 50 lks. crs. N. W.

20.00 ... Same crs. S. W.

25.00 ... Same crs. N. W.

Y. Oak 10

40.00 Set 1/4 Section post.

{ Red Oak 10 N 81 W 23

{ W. Oak 30 N 27 E 20

59.57 W. Ash 12

80.00 Set post corner Sec^s 35 & 36

{ W. Oak 30 N 35 W 78

{ Hickory 6 N 68 E 91

Land low - soil good.

Timber Oak Ash Elm Birch

Sugar Ironwood &c

N. G. Sam -

T29 NR 1 N.

Ch. L.

West On South Side Section 35

5.00 Enter Marsh.

19.50 Leave Same

40.00 Set 1/4 Section Post -

{ B. Ash 20 N15 W 47.

{ N. Oak 10 N38 E 35.

61.26 Ironwood 10

80.00 Set post corner Sec 2 34 & 35

{ Hickory 20 N34 W 37

{ Red Oak 30 N38 E 47

Land & Same -

Ch. L.

T 29 N. R. 1 W.

Met on South Side Section 34

1.24 Buck 20.

40.00 Set 1/4 Section Post.

{ Hickory 6 N 35 E 28
{ Elm 10 N 50 E 20

52.00 Leave heavy Timbered land.

54.76 W. Oak 30

80.00 Set post corner Sec. 33 & 34

{ Burr Oak 10 N 30 W 5.33

{ Y. Oak 20 N 89 W 5.68

Land here soil rich.

Timber Sugar Buck Ash
Oak Elm Sycamore Hickory

S 29 N 61 W

As L

Met On South Side Section 33

40.00 Set 1/4 Section post
 { Burr Oak 8 N 4 W 2.53
 { do .. 8 N 39 E 3.28

74.78 W. Oak 12

80.00 Set post corner Sec 2 32 & 33
 { W. Oak 20 N 64 E 3.63
 { Burr Oak 10 N 63 W 68

Land here rich - Timber
 mostly Oak -

J

Apr. 29 A. B. 1 M.

West On South Side Section 32

40.00 Set $\frac{1}{4}$ Section Post.

{ Burr Oak 20 N 61 W 30

{ do . . . 12 N 48 E 23

65.36 G. Oak 18

80.00 Set post corner Sec. 31 & 32

{ W. Oak 20 N 57 W 2.70

{ do 10 N 33 E 5.21

Land to Sam.

Chs. L, T 29 N 36 1 W

Met On South Side Section 31

40.00 Set. 1/4 Section Post -
Ch. Oak 12 N 34 W 2.57
{ Do .. 20 N 41 E 1.07

82.00 At post corner to Town 29.
N. of R. 142.
Gy. Oak 18 N 6 1/2 E. 7.68
{ Do .. 18 S 7 W 4.17

Land low & thinly timbered
with Oak.
Soil 2^d rate

Var. 4.55 E

Dec 22 1833

Chas. L. 1
 29 APR 2 M.

Met On South Side Section 36

40.00 Set 1/4 Section Post-

{ M. Oak 3 158 & 29

{ Y. Oak 20 182 & 37

55.00 Stream 50 Ch. cr. S. W.

79.00 . . . Same cr. S. W.

80.00 Set post corner Sec. 35 & 36

{ Y. Oak 20 186 & 5.00

{ No Other

Land level - Soil good.

Timber W. & Burr Oak.

S 29 N R 2 W

Ch. L.

West On South Side Section 35.

14.50 Stream 50 Ch. cor. S. W.
 25.00 .. Same cor. S. W.
 40.00 Let. 14 Section Post -
 { W. Oak 10 N 89 E 4.88
 { No other near

50.00 Stream 60 Ch. cor. S. W.
 68.78 W. Oak 14.
 80.00 Let. Post corner Sec. 34 & 35
 { W. Oak 10 N 58 E 25
 { W. Oak 30 N 61 W 84

Land & Same -

Chas. L. T 29 N. R 2 W.

West On South Side Section 34

15.83 G. Oak 24

24.00 Stream 60 lbs. cr. N. W.

40.00 Set 1/4 Section Post.

{ Hickory 10 166 E 1.99

{ G. Oak 10 154 E 4.41

80.00 Set post corner sec. 33 & 34

{ M. Oak 20 North 1.89

{ G. Oak 20 188 1/2 W 2.97

Land here Soil good.

Timber M. G. & Burr Oak.

S

chr. L,

T 29 N. R 2 W.

17

West On South Side Section 33

40.00 Set $\frac{1}{4}$ Section Post -

{ W. Oak 24 N 21 W 5.59

{ Do. . 12 N 40 W 6.13

80.00 Set post corner Sec. 32 & 33

{ G. Oak 30 N 18 W 9.3

{ W. Oak 10 N 65 E 4.59

Sand low & 22 rods.

Thinly Limbed with Oak

J

Apr. 29. T 29 N. B 2 W.

Met On South Side Section 32

13.43 W. Oak 20.

27.51 W. Oak 12.

40.00 Set 1/4 Section Post.

W. Oak 18 N 26 E 88.

{ Do .. 10 N 72 E 1.01.

68.14 W. Oak 12.

80.00 Set post corner Sec. 31 & 32

W. Oak 20 N 24 W 3.53

{ Do .. 20 N 14 1/2 E 2.72

Land is much same

Ar. L. S 29 N. R 2 W.

West On South Side Section 31

7.17 M. Oak 20-
 17.47 M. Oak 28.
 40.00 Set 1/4 Section Post-
 Burr Oak 12 S 35 E 2.62
 Hickory 10 N 77 E 4.19

56.67 Y. Oak 20
 77.50 N. E. corner of Town 28 N R 3 1/2
 82.00 Set post corner Town 29 N R 3
 2 + 3 M. (Burr Oak 8 N 54 W 13
 { W Oak .. 10 N 6 1/2 W 21

Land level - Soil good -
 Limbs M. & Y. Oak and
 Hickory - no undergrowth -

Var. 4.55 E.

Dec 32 1833

Apr 26 T 29 N. R. 3 M. Old Town line
Var. 57° 30' E,

West On South Side Section 36

4.56 Old corner Town 288 & 109

14.13 G. Oak 20

40.00 Set 14 Section Post-

G. Oak 20 N 78 E 1.62

Do .. 12 N 82 W 1.62

46.38 Old meander post on Left bank
of Tippecanoe River cr. South

51.10 Leave River

53.50 Leave bottom of River

54.34 Old meander post on Right Bk R.

67.25 G. Oak 20

79.50 Indian Trail cr. S. M.

80.00 Set post corner Sec 2 35 & 36

G. Oak 18 N 46 W. 1.64

Do .. 24 N 63 E 1.19

Sand rolling & 1st rate
M. & G. Oak -

Apr 26 S 29 N. B 3 W. Old Town Line
V. 5° 30' E

Met On South Side Section 35

16.42 G. Oak 10
28.18 G. Oak 20
40.00 Set 1/4 Section post
Gy. Oak 18 N 74 E 37
Do . . 20 N 57 W 2.41

45.35 G. Oak 10
50.00 Enter line & Thimble Embankment
80.00 Set post corner Sec 34 & 35
Gy. Oak 25 N 49 1/2 E 6.64
no other

Exp rolling W 1/2 level -
Soil good -
Timber Oak -

J

ch. 1, T 29 N R 3 W.

Met On South Side Section 34

18.00 Enter Mt Prarie -

30.00 Leave Same -

*35.00 Enter Mt Prarie -

40.00 Sec. 14 Section Port -

{ M. Oak 18 N 73 W 3.15

{ Y. Oak 6 N 42 E. 3.74

57.00 Leave Mt Prarie -

80.00 Sec port corner Sec. 33 & 34

{ Y. Oak 12 N 69 E 83

{ Do .. 20 N 29 E 96

Sand flat & E. side Oak -

* note - At 35 chs on this mile
when entered Mt Prarie the
Old line is to be seen, after
which it could not be found
at any place ^{on the} remaining
part of the six miles, and
the reason why it could ^{not} be
found is, that it never was
run -

Am. Ls T 29 N. B. 3 M.

Met On South Side Section 33

18.00 Enter Mt Prarie.
 29.00 Leave Same.
 39.50 Enter Mt Prarie.
 40.00 Set $\frac{1}{4}$ Section Post
 { G. Oak 20 N 19 $\frac{1}{2}$ W 2.50
 { N. Oak 10 N 61 E 3.47
 55.00 Leave Mt prarie
 70.00 Enter Mt prarie
 80.00 Set post corner to Sec. 32 & 33
 { N. Oak 20 N 84 $\frac{1}{2}$ W 7.76
 { no other

Land low & Mt.
 Soil Thin.

G. & N. Oak -

Ch. L.

S 29 N. R. 3 W

West on South Side Section 32

8.00 Leave Mt Prarie.

23.00 Enter Mt. Prarie.

40.00 Set $\frac{1}{4}$ Section Post.

{ N. Oak 10 West 8.05

{ no other.

46.00 Leave Mt Prarie.

78.00 Enter Mt prarie

80.00 Set post corner Sect. 31 & 32

{ N. Oak 30 N. 74 W 5.51

{ So. . . 28 N 63 E 3.37

Land as much as before.

J

Mr. L. T 29 N. B. 3 W.

Met On South Side Section 31

22.00 Leave Mt prairie

40.00 Set $\frac{1}{4}$ Section post

Gy. Oak 20 N 75 W 1.33

Do . . 12 N $14\frac{1}{2}$ E 2.14

60.00 Enter Mt prairie

82.00 Set post corner Town 29

N. R. 3 & 4 W.

Gy. Oak 10 N 4 E 2.55

Gy. Oak 18 S 4 E 3.00

Land level - Soil good -
Thinly timbered with Oak.

Dec 5th 1833

Note - Var. 5.30' E. on the last 3 $\frac{1}{2}$ miles. On old line the course varied as much as 2 degrees in places, & consequently is any thing else but a straight line.

ch. 51 T29 N. R4 W.

T. 57 40 E,

West On South Side Section 36

4.92 Intersected West Bdy Range 3
N. T28-N. 6 chains & 05 links
South of ^{old} Lim-Town corner*
At post corner to Town 28
N R2. 3 & 4 W.

Whitney 10 S46 W 34

{ M. Oak 12 S51 E 66

17.00 Enter prairie (mostly dry)

24.00 Shaggy Stream 1.50 ch S. W
(called the ~~Metamomong~~ ^{Metamomong})

40.00 Sec. 14 Section Post -

M. Oak 24 N85 E 4.72

{ Burr Oak 10 N15 E 3.97

80.00 ~~At~~ post & raised mound
corner Sec. 35 & 36

Land gently rolling & 1st note
Timber Oak -

* note - Here the line was run up
between R2. 3 & 4. 6 miles & large
Lim post set. no corner made
& no line going E or W. ~~post~~

Chil.

S 29 N. R 4 W

Met On South Side Section 35

31.00 Leave Prairie.

32.13 W. Oak 12-

40.00 Set 1/4 Section Post

W. Oak 30 N 40 W 119

{ Do . . 12 N 2 1/2 E 2.22

62.00 Enter Prairie (rather Met)

80.00 Set post corner Sec. 34 & 35

Gy. Oak 6 N 20 1/2 E 7.46

{ W. Oak 20 N 45 E 6.18

Land & much as before

Ch. L. T29 N. B4 W.

Nest On South Side Section 34

24.83 W. Oak 20

40.00 Set 1/4 Section post -

W. Oak 10 N89 W7.47

W. Oak 12 N85 W7.90

81.00 Leave Poonie & Set post corner

Secs 33 & 34 - W. Oak 20 N1/2 E

1.69 - No 20 N74 1/2 W1.64

Land low & mostly poonie
Some scattering oaks.

Chs. Ls

T 29 N. B 4 W.

- West On South Side Section 33
 5.42 To old post corner Sec. 34
 T 28 ~~A B~~ as good luck
 would have it. I intersected
 only 2 links, north of the corner
 5.60* To post set for corner to Sec.
 33 & 34 Town 29 N.
 40.00 Set post corner Sec. 33 Section post
 { M. Oak 20 N 78 E 78
 { do .. 20 N 41 W 29
 45.00 Road cr. N. W & S. E. lead-
 ing from Lafayette to Mich. City.
 80.00 Set post corner Sec. 32 & 33
 { B. Oak 9 N 10 W E 1.72
 { M. Oak 9 N 34 W 2.23
 Land greatly rolling - Soil 2? water
 Timber Oak -

* note - No line (old) run from this cor-
 ner East as represented on the
 diagram sent to me from your office

ch. L, S 29 N. 164 W.

Met On South Side Section 32

40.00 Set $\frac{1}{4}$ Section Post -

{ G. Oak 10 N 78 $\frac{1}{2}$ W 1.22

{ Do 9 N 59 W 1.39

45.00 Enter March.

57.00 Leave Same.

61.91 G. Oak 9

80.00 Set post corner Sect 31 & 32

{ M. Oak 18 N 45 E 10

{ Do 18 N 86 W 9.5

Sand rather fine - Soil poor
Timber Oak

Ch. L. T 29 N B 4 M

West On South Side Section 31

18.57 M. Oak 18

20.00 Enter Marsh

40.00 Set 1/4 Section Post

W. Oak 7 S 52 E. 5. 10

{ no other

82.00 Set post corn. Town 29 N.
of R. 4 & 5 West

{ Aspin 10 S 52 E 4. 65

{ Do 12 N 86 W 7. 47

Land mostly marsh
Soil poor. Lim Oak
Aspin & birch scattering

Var. 5. 40 E

chr. L₁ S 29 N. E 5 W
 West On South Side Section 36 Var. 5¹/₂ 40° E.

40.00 Set 1/4 Section Post -
 Cy. Oak 12 S 47 E 4.18.
 { Do .. 12 S 27 1/2 W 2.69

80.00 Set post corner Sec 2 35 & 36
 Cy. Oak 10 N 71 W 4.47
 { Do .. 20 N 79 1/2 W 4.51

Sand Marsh - some scattering
 Timber Oak

chr. L, T 29 N. 135 W.

West On South Side Section 35

- . 3. 00 Leave Mt Prairie.
 34. 00 Enter drg Prairie.
 40. 00 Set $\frac{1}{4}$ Section Post
 { Hickory 10 N 39 E 3. 10
 { Y. Oak 10 N 16 W 2. 91
 80. 00 Set post & raised Mound
 corner Sec. 34 & 35

Land level - Soil generally
 good. Some scattering Oak &
 Hickory on E $\frac{1}{2}$.

Chs. Ls T 29 N. 135 W.

Nest On South Side Section 34

40.00 Set 1/4 Section Post-

{ G. Oak 12 S 24 E 5.73

{ no other trees on North side

70.00 Enter Oak grove

80.00 Set post corner Sec 33 & 34

{ M. Oak 24 N 68 E 1.23

{ G. Oak 10 N 18 E 1.90

Land level - soil good -
Oak -

J

Mr. L, T 29 N. 135 W.

West On South Side Section 33

15.00 Enter Prairie.

40.00 Set $\frac{1}{4}$ Section Post -

{ G. Oak 15 N 82 E 1.69

{ Burr Oak 10 N 65 $\frac{1}{2}$ W 2.85

43.00 Enter Oak Timber

65.96 M. Oak 20

80.00 Set post corner Sec 32 & 33

{ M. Oak 20 N 45 W 1.14

{ G. Oak 10 N 76 E 1.03

Land & much same.

29 N. 135 W.

ch. L.

Nest On South Side Section 32

16.00 Enter Prairie (rather wet)

40.00 Set 1/4 Section Post -

{ G. Oak 12 N 74 E 3.10

{ Do .. 10 N 14 E 3.21

54.00 Leave Prairie -

67.72 N. Oak 18.

80.00 Set post corner Sect 31 & 32

{ G. Oak 18 N 65 E 83

{ Do .. 20 N 54 E 96

Land line & 2^d rate.

G. & N. Oak -

chr. Ls T 29 N. 135 W.

West On South side Section 31

11.00 Enter low Prairie.
40.00 At post & raised mound
for $\frac{1}{4}$ Section corner

45.00 Enter rolling Prairie -
82.00 At post corner Town 29
N. of Rs. 5 & 6 West -
Ely. Oak 10 S 28 W 5.57
{ Do .. 12 S 49 $\frac{3}{4}$ W 10.67

Ely rather low - 22 rate
Some Oak Timber W. of
rolling & 1st rate -

Var. 5. 40' E.

Dec 14th 1833

ch. 1. T 29 N. 16 3 W
 North V. 5° 29' E
 Post On East Side Section 36

40.00 Set 1/4 Section Post.
 { W. Oak 10 S 6 1/2 W 52
 { Hickory 10 N W 3.08

64.25 Set Meander Post on Left Bank
 Tippicanoe River cr. S. W.
 { Maple 12 S 40 1/2 E 40
 { Y. Birch 10 S 40 1/2 W 62

68.80 Set post on right bank River
 { Y. Oak 18 N 79 W 83
 { Do .. 20 N 43 E 53

Land rolling & 1st oak
 Barrens - Limbs Y. W and
 Burr Oak.

And the same -

80.07 Set post corner sec. 25 & 36
 { Y. Oak 10 S 49 W 1.49
 { Do .. 10 S 82 W 2.56

ch. L. T 29 N. B 3 M.

North On East Side Section 25

40.00 Set 1/4 Section Post -
 W. Oak 30 N 27 W 3.88
 Y. Oak 20 S 8 1/2 E 1.52

72.56 Y. Oak 18

80.00 Set Post corner Sec 24 & 25
 Y. Oak 18 N 72 W 24
 Do .. 18 S 29 1/2 W 1.44

Land rolling & L. note.
 Timber W & Y. Oak

55

S 29 N. 13 E 3 M.

Chs. Ls

~~North~~ On East Side Section 24

4.37 Y. Oak 20

31.00 Brook 6 lts. cr. East -

40.00 Set 1/4 Section Post -

{ Y. Oak 10 S 8 W 52

{ Do .. 20 N 59 W 114

45.75 Y. Oak 18

71.00 Indian Tric N. E.

80.00 Set Post corner Sec. 13 & 24

{ Y. Oak 20 N 39 W 45

{ Do 20 S 31 E 41

Land & same -

SS

Ch. L. S. 29 N. B. 3 M.

North On East Side Section 13

40.00 Set $\frac{1}{4}$ Section Post.

{ G. Oak 12 N 15 N 44

{ W. Oak 8 N 44 W 71

46.00 Enter Met Prairie.

80.00 Set Post corner Sec 12 & 13

{ G. Oak 28 N 5 $\frac{1}{2}$ W 7.68

{ no other near.

Land rolling South of
& 2 $\frac{1}{2}$ rods -

Thinly Limbed with
G & W. Oak -

SS

chds
 Feb 29 A. B. 3 W

North On East Side Section 12

.6.00 Leave Mt Osage -

40.00 Set #4 Section Post

{ M. Oak 18 S 28 W 1.05

{ do .. 20 N 85 W 1.59

41.00 Enter Mt Osage -

59.00 Leave Same -

80.00 Set post corner Sec. N 12

{ M. Oak 12 N 65 W 37

{ do .. 14 S 44 W 2.23

Land of Same -

SS

As L. S 29 A. B 3 M.

North On East Side Section 1

1.00 Enter Mt Prairie
40.00 Set 1/4 Section Post -
C. M. Oak 12 N 6 W 5.94
{ no other mark

70.00 Leave Mt Prairie
80.00 Set Lim. Town Corner

Land mostly Mt Prairie
a few Oaks

Decr 6th 1838

Jan. 5. 27th 38

SS

Chas. L. T29 N. 134 W.

North On East Side Section 36
(Var: $5\frac{1}{2}^{\circ}$ E.)

15.00 Bend in creek 70 lks. crs. S. W.

27.82 W. Oak 22

40.00 Set. 14 Section Post.

{ Burr Oak 9 S 12 W 78
{ Do .. 9 S 37 E 1.34

44.50 creek 70 lks. crs. S. W

55.00 Same crs. S. E

71.00 Enter Mt. Prairie

80.00 Set post corner Sec. 25 & 36

{ W. Oak 10 N 27 W 2.45

{ Do .. 20 S 82 W 3.86

Sand loess - Soil good -
Lumber W. Gt Burr Oak -

Chr. L, T 29 N. B 4 W

North On East Side Section 25

- 2.00 Leave Mt Parnie-
- 6.30 Y. Oak 28
- 33.00 Enter Mt Parnie-
- 40.00 Set. 14 Section Post-
- Y. Oak 20 N 31 1/2 E 5.22
- { Do. . . 10 N 65 E 5.68
- 62.00 Leave Mt Parnie -
- 74.00 Y. Oak 18
- 75.50 Enter Mt Parnie
- 80.00 Set post corner Sec. 24 & 25
- { M. Oak 28 N 27 W 5.92
- { Y. Oak 8 South 4.98

Sand & Timber much as before -

W

Ch. L. S 29 N. 134 W

North On East Side Section 24

44.00 Set $\frac{1}{4}$ Section Post

Gy. Oak 18 N 38 $\frac{1}{2}$ E 463

{ Slo .. 14 N 4 E 538

45.00 Leave Mt Prairie.

50.00 Enter Same Prairie

60.00 Leave Same.

68.00 Enter Same.

80.00 Set Post corner Sec. 13 & 24

M. Oak 10 N 82 E 446

{ Slo .. 28 N 38 $\frac{2}{3}$ W 593

Land mostly Mt Prairie
on East Side ground Prairie
Timber scattering Oak -

Ch. L. T 29 N. B 4 W

North On East Side Section 13

31.00 Leave Mt Prairie
 39.00 Enter same
 40.00 Set 1/4 Section Post -
 { G. Oak 18 N 80° E W 4.12
 { Do .. 6 S 37° W 1.55

59.00 Leave Mt Prairie -
 80.00 Set Post corner Sec. 12 & 13
 { G. Oak 18 N 41° W 4.2
 { Do .. 16 S 28° W 1.6

Land & same -

SS

ch. L₁ T29 N. B 4 M.

North on East Side Section 12

22.31 W. Oak 10

40.00 Set 1/4 Section Post.

W. Oak 20 S 66 W 30 1/2

{ W. Oak 10 S 11 W 1.09

49.02 W. Oak 10

55.00 Enter Mt Prairie

80.00 Set Post corner Sec. 14 12

{ W. Oak 10 N 37 E 5.89

{ Do .. 8 N 54 W 6.45

Land & Same

Chas. L. S 29 A. B 4 M.

North On East Side Section 1

21.00 Leave Mt Bonin

34.00 Enter Mt Bonin

40.00 Set 1/4 Section Post.

{ W. Oak 20 - 189 M 2.73

{ Do . . 10 - 163 M 3.06

85.00 Turn Down Corner

Land mostly Mt Bonin

Var. 5.30' E

Aug 9th 1838

SS

T29 N. 13.5 W

Ch. Ls

(Var. 5:35'E,)

North on East Side Section 36

.400 Enter Mt Opawic
 33.00 Enter dry Prairie
 40.00 Set 1/4 Section Post -
 { G. Oak 6 S 1/4 M. 9.45
 { no other

80.00 Set Post corner Sec. 25 & 36
 { M. Oak 10 S 66 1/2 E 5.21
 { G. Oak 6 N 57 1/2 W 5.70

Land here North 1/2 1st sec
 dry Prairie -

SS

Chas. Ls S 29 N. R 5 W.

North On East Side Section 25

.6.00 Leave Prairie.
 10.49 Y. Oak 9
 12.00 Road N. W + S. E
 22.00 Enter Mt Prairie.
 40.00 Set 1/4 Section Post
 { Spin 9 S 3 1/2 E 8.77
 { No other

80.00 Set Post corner Sec. 26 + 25
 { Y. Oak 9 N 3 E 1.32
 { W. Oak 6 N 89 1/2 E 2.82

Land mostly Mt Prairie
 Timber scattering Oak -

SS

ch. 1 S 29 N. E. 5 W

North On East Side Section 24

40.00 Set $\frac{1}{4}$ Section Post -
 { Cy. Oak 18 North 8.07
 { Do .. 20 N $6\frac{1}{2}$ E 7.95

46.00 Enter dry prairie -

80.00 Set Post & raised mound
 corner Sec. 13 & 24

Land level S $\frac{1}{2}$ prairie -
 Scattering Oak N $\frac{1}{2}$ 1st
 into prairie -

SS

chds S29 NB5W

North On East Side Section 13

40.00 Set post & raise mound
for $\frac{1}{4}$ Section Corner -

80.00 Set Post & raise mound
corner Sect. 12 & 13

Land here dry Pra-
rie - Soil 1st. Lat -

SS

ch. L. T29 N. P. 5 W.

North On East Side Section 12

40.00 Set post & cairn around
corner to $\frac{1}{4}$ section

80.00 Set post & cairn around
corner Sec. 14/12

Land Provis as before

2

Chas. L. 29 N B 5 N

North On East Side Section 1

40.00 Set Post & raise mound
for $\frac{1}{4}$ Section corner

80.00 Lim. Town corner

~~80.00~~ Set Post & raise mound
corners Sec.

Land Poonie as before

For 5.35^{to} E

Dec^r 11th 1833

SS

ch. 25 T 29 N. R. 6 W. Var 5.° 35' E,

North on East Side Section 36
Began in Prairie -

40.00 Set 1/4 Section Post & raised mound

80.00 Set Post corner Sec. 25 & 36 &
Raised mound -

Land gently rolling and
1st rate (no Timber

SS

Ch. L. T 29. N. 186 W

North On East Side Section 25

40.00 Set Post for $\frac{1}{4}$ Section corner
and raise mound -

80.00 Set Post corner S. & S. 24 & 25
and raise mound

Land &c as before.

55

c h. L. T 29 A. B 6 W.

North On East Side Section 24

40.00 Lit. $\frac{1}{4}$ Section Port & raise mound

80.00 Lit Port corner Sect 13 & 24
and raise mound -

Sand &c Same

55

Ch. L. T 29 A. 186 W.

North On East Side Section 13

26.00 Leave Prairie -

40.00 Set 1/4 Section Post

{ G. Oak 9 N 13 E 2.56

{ Do .. 10 N 4 W 2.37

67.00 Sluggish Stream 5.00
cr. S. W. -

84.00 Set Post corner to Sec. 12 & 13

{ M. Oak 28 S 56 W 48

{ Do .. 10 N 17 W 64

Land gently rolling and
1st rate. Maturing Oak
north of Prairie -

Chs. L. T29 N. B. 6 W.

North On East Side Section 12

12.00 Enter dog Prairie.

40.00 Set $\frac{1}{4}$ Section Port and
raise mounds

80.00 Set port corner Sec. 1 & 12
and raise mounds

Land rolling at $\frac{1}{2}$ rate -
Timber as before

✓✓

Mr. L. S 29 A. 186 W.

North On East Side Section 1

14.00 Leave Prairie.

40.00 Set $\frac{1}{4}$ Section Post-

{ Aspin 10 S 14 W 65

{ Burr Oak 12 S 44 W 2.99

~~Y. Oak 18~~

80.00 Set Post corner Sec. 1. Tim.
Town corner

Land rolling - Soil good.
Burr. Y. & W. Oak -

22

Dec 14th 1833.

Jan. 5. 35 E

T 30 N R 2 W Cor 5.25

Ch. L.

West on South side Sec 36

40.00 Let $\frac{1}{4}$ Section port on
Prairie Mound56.00 Leave prairie - some dry
Places but mostly to wet
for cultivation.

70.66 G. Oak 18

80.00 Let port on Sec 35 & 36

{ N. Oak 13 N 56 E 48

{ Pin or R. Oak 5 N 62 $\frac{1}{2}$ E 66West prairie rolling barrens
poor soil - Thinly Tim?
with mostly Pin OakTook an observation for the
bar. on the night of 30th
while the pole star was on
Mer. and found that it
5.25 E. Observed in this
Section & Town (36) Surveyed

S30 N 1/2 W

Ch. L.

Nest on South side Sec 35

.2.00 Met prairie

40.00 Set 1/4 Section Port

{ Pin or Red Oak 18 N 2 1/4
 { W 2.44 Do 17 N 4 E 3.27

80.00 Set port corner Sec 34.35

{ N. Oak 14 N 23 1/4 W 2.49
 { Do .. 26 N 85 1/6 W 2.71

Land mostly a Met prairie
 Some parts covered with
 water

Cor. 5. 25 E

Sum. 2?

by Clark

chd. T 30 N. E 2 W

Met on South Side Section 34

23.57 W. Oak 18

31.19 To Red Oak 8 inches diam^r
corner on Left bank of Tippecanoe River crs. S. W

40.00 Set Meander Post on Right bank
River $\frac{1}{4}$ Section Post.

{ Gypsum 6 S 50 E 20
W. Oak 12 S 80 W 66

72.48 G. Oak 14

80.00 Set Post corner Sec^s 33 & 34

{ W. Oak 10 N 67 E 43

{ Do .. 10 N 10 W 84

Land rolling - Soil good.
Tim: W. & G. Oak

chr. L, T 30 N. 162 W

West On South Side Section 33

11.66 N. Oak 10
 40.00 Lit. 1/4 Section Post.
 { N. Oak 10 N 83 E 1.05
 { Burr Oak 10 N 77 W 2.56

58.72 N. Oak 14
 66.10 Brook 10 Ch. cor. S. E.
 80.00 Lit Post corner Sec. 32 & 33
 { N. Oak 10 N 40 E 1.21
 { Do .. 12 N 76 W .71

Land to Sam

SS

Chas. L.

T 30 N. R. 2 W.

Met On South Side Section 32

23.20 G. Oak 18

24.50 Enter Wet Prairie.

40.00 Set $\frac{1}{4}$ Section Post.

{ W. Oak 20 N 89 W 15.21.
 { no other.

53.50 Leave Wet Prairie -

80.00 Set post corner Secs. 31 & 32

{ G. Oak 10 N. 36 E. 50
 { Do 10 N 84 $\frac{1}{2}$ W. 34

Land to Sam

Chr. L. T 30 N. 132 W.

West on South Side Section 31

6.00 Enter Mt Prairie

40.00 Set $\frac{1}{4}$ Section Post.

{ G. Oak 20 N 59 W 1.43

{ Do ... 20 N 73 W 1.72

41.00 Leave Mt Prairie.

50.00 Enter Mt Prairie.

81.66 Enter West Bdy. - 13.47 South
of Lim. Town corner - Set post

{ W. Oak 20 N 24 W 4.60

{ G. Oak 12 N 6 E 7.04

Land mostly Mt Prairie
Lim. Oak -

(Var. 5.25' E)

Dec 7th 1833

Var. 5.35' E as found
by observation at this corner

Chs. L. T 30 N. 163 W.

(Var. 5° 20' E)

Met On South Side Section 36

Began in Mt Prarie

39.00 Leave Mt Prarie

40.00 Set 1/4 Section Post

{ N. Oak 10 N 28 E. 65

{ G. Oak 12 N 80 W 49

60.00 Enter Mt Prarie

80.00 Set Post corner Sec. 35 & 36

{ G. Oak 8 N 75 E 8.58

{ Do. . . 12 S 88 E 7.21

Land mostly Mt Prarie

Soil poor. Lim Oak, very

scattering

55

Mr. L. T 30 N. 163 W

West On South Side Section 35

24.00 Leave wet Prairie.

40.00 Set 14 Section Post.

{ N. Oak 12 N 11 W 32

{ Do .. 10 N 23 W 59

52.83 Y. Oak 28

54.00 Enter wet Prairie

80.00 Set Post corner Sec? 34 & 35

{ N. Oak 12 N 77 E 1.53

{ Y. Oak 6 N 52 E. 78

Land & Sam - -

SS

e h L,

T 30 N. 16 3 W.

Met On South Side Section 34

28.00 Leave Mt Provi

40.00 Set 1/4 Section Port-

{ N. Oak 6 N 6 E, 37

{ Do. . 12 N 8 1/2 E 113

46.00 Enter Mt Provi

79.00 Leave same

80.00 Set Port corner Sec 33 & 34

N. Oak 6 N 29 E 59

Do . . 8 N 69 1/2 W 96

Land 4 - same

S

As. Ls. T 30 N. R. 3 W.

West On South Side Side Sec. 33

15.00 Enter Mt Prairie -
 39.00 Leave Same -
 40.00 Set 1/4 Section Post -
 G. Oak 14 N 4 W 57
 { G. Oak 20 N 66 W 14

42.00 Enter Mt Prairie
 80.00 Set Post corner Sec. 32 & 33
 G. Oak 18 N 47 W 24.04
 { Des. . 14 N 85 W 1.95

Land is Same

SS

ch. L. S30 N. E 3 W.

Met On South Side Section 32

.1.00 Leave Mt Prairie.
 8.00 Enter Mt Prairie
 40.00 Set $\frac{1}{4}$ Section Post and
Raised Mound.

80.00 Set post corner S.W. 31 & 32
 { Cy. Oak 10 N 39 $\frac{1}{2}$ E 5.61
 { Do... 12 N 87 $\frac{1}{2}$ W 5.61

Land Mt Prairie
 Sec 2^d rate

55

Ch. L. T 30 N. B. 3 M.

West On South Side Section 31

5.00 Leave Wet Prairie

12.11 Cy. Oak 18

15.00 Enter Wet Prairie.

40.00 Set 1/4 Section Post.

{ N. Oak 8 N 69 E 1.38

{ Cy. Oak 12 N 74 W 2.69

41.00 Leave Wet Prairie

52.00 Enter Wet Prairie

81.72 Intersected West Bdy - 10.30

South Lim. post Set post.

{ Aspin 9 N 65 E 1.86

{ Cy. Oak 12 S 31 W 3.79

Land lime & poor - Lim. Oak.

Dec. 8th 1833

Far. 5. 20' E.

Far. 5. 35' as found by
Observation at this corner.

chr. L. T 30 N. 164 W.

V. 5 1/2, C

West On South Side Section 36

Began in wet Prairie -

35.00 Leave Wet Prairie

37.18 G. Oak 20

40.00 Set 1/4 section Post

{ H. Oak 9 N 18 W 26

{ Do. . 22 N 70 E 90

55.96 G. Oak 18

80.00 Set post corner Sec. 35 & 36

{ H. Oak 9 N 81 E 85

{ G. Oak 12 West 6.72

Land rolling - soil good -
Timber Oak - -

ch. d.

T 30 N. 124 W.

West On South Side Section 35

6.72 1/2 y. Oak 18
 12.00 Antler Dry Prairie
 40.00 Set 1/4 Section Post.
 { Burr Oak 9 N 88 E 2.97
 { W. Oak 20 N 113/4 W 4.10

80.00 Set Post corner Sec 2 34 + 35
 { B. Oak 24 N 74 W 4.09
 { Do " 12 N 87 1/2 W 4.75

Land mostly Dry Prairie
 Soil 1st rate. a few Oaks
 on East 1/2.

J

Ch. L.

T 30 N. R 4 W.

Nest On South Side Section 34

40.00 Set $\frac{1}{4}$ Section Port and
Raised Mound -61.50 Muddyish Stream 3.00 lbs
eg. South -80.00 Set Port corner to Sec. 33 & 34
and Raised Mound -Land Rolling & 1st note.
Proris -

SS

Chas. L. T 30 A. 184 W.

West On South Side Section 33

40.00 Set 1/4 Section Post & raise Mound

80.00 Set post corner Sec 32 & 33
and raise chowder -

Land Popen as before

55

chds L30 N. R4 W.

West On South Side Section 32

40.00 Set Post for 1/4 Section corner
and raise Mound -

80.00 Set Post corner Sec. 31 & 32
and raise Mound

Land as before -

W

Ch. 1. S 30 N. P 4 W.

Mert On South Side Section 31

40.00 Lit. 4 Section Port and
Raised Mound

82.54 Intersected Mert Bdy q. 38
South of Lim. Port
Lit Port & Raised Mound
for Town Corner.

Land & as before

Run 10. th 1833

Var. 5. 30' E

Chas. L.

T 30 N. R 5 W.

7.5.35^c,

West On South Side Section 36

40.00 Set 1/4 Section Post and
Raised Mound

80.00 Set Post corner sec. 35 & 36
 and Raised Mounds -

Land here & 1st rate
 Prairie.

Ch. L. T 30 N. 125 W.

West On South Side Section 35

8.00 Road N. S.

14.00 Indian Trail on S. W.

40.00 Set 1/4 Section Post and
Raised Mound

77.00 Leave Prairie

80.00 Set Post corner Sec. 34 & 35

{ N. Oak 9 N 43 W. 17

{ Spruce 10 N 8 E 18

Land Mostly Prairie.

SS

Ch. L. T 30 N. E 5 W.

West On South Side Section 34

8.00 Enter dng Promis

38.00 Leave Same

40.00 Set $\frac{1}{4}$ Section Post.

{ Burr Oak 18 N 28 E 2.49 $\frac{1}{2}$
 { Do ... 20 N 73 $\frac{1}{2}$ E 2.55

69.26 W. Oak 18

80.00 Set Post corner Sect. 33 & 34.

{ B. Oak 9 N 73 $\frac{1}{2}$ E 1.29
 { W. Oak 6 N 64 E 1.54

Land level + 22 rods. Lim.

W. 4 G. Oak —

SS

Chr. L. T 30 N. 16.5 W.

Met on South Side Sutor 33

14.66	N. Oak 16
27.81	N. Oak 18
30.00	Enter Marsh.
37.00	Leave same.
40.00	Set 1/4 Sutor Post
	{ Cy. Oak 9 N 50 W 4.67
	{ Do ... 7 N 80 W 4.56
48.00	Enter dry Prairie
80.00	Set Post corner Sec? 32. & 33
	and <u>Raised Mound</u>

Land level - Soil good
 Limbed thinly with
 Burn. W & Cy. Oak -

11

Chs L, T 30 N. R 5 W.

Nest. On South Side Section 32

40-00 S. 1/4 Section Post.

{ Burr Oak 18 S 26 1/2 E 2.02
 { Do . . 12 S 19 1/2 W 2.05
 no Limbs on North near line

80-00 S. 1/4 Post corner Sec. 31 & 32

{ G. Oak 16 N 29 E 2.06
 { Burr Oak 16 N 55 W 4.38

Land gently rolling + 1%
 rate Prop.

SS

chr. Ls T 30 N 65 W.

West On South Side Section 31

21.00 Enter scattering Oak Timber
and Hazel thickets -

40.00 Set 1/4 Section Post

{ G. Oak 12 N 78 1/2 E 1.56

{ Do. 10 N 2 E 2.41

65.00 Enter fine grove W. & Burr Oak

67.00 Burr Oak 15

79.55 Intersected West Bdy. 6.58

South Lim. Town Corner -

Set post corner Towns 29 & 30 1/2

Do. 5 & 6 G. Oak 18 S 82 N 38

W. Oak S 86 E

Land rolling & 1st rate.

Thinly Limbed with W.
& Burr Oak -

Under the Hazel in places

Decr. 13th 1833

Far. S. 35 E

Sh Ls T 30 N. 123 W.

North on East Side Section 36

Began in Mt Prairie

5.00 Leave Mt Prairie

12.00 Enter Mt Prairie

40.00 Set $\frac{1}{4}$ Section Post.

{ G. Oak 20 S 41 W 3.35

{ W. Oak 12 S 89 $\frac{1}{2}$ W 2.24

68.00 Leave Mt Prairie

80.00 Set post corner Sec. 25 & 36

{ W. Oak 12 N 70 W 46

{ Sw .. 12 S 79 W 45

Land mostly Mt Prairie

Chas. L. T 30 N. B 3 W

North on East Side Section 25

24.06 M. Oak 12

40.00 Set 1/4 Section Post -

{ M. Oak 10 S 75 1/2 W 57
 { Do .. 10 N 75 W 46

52.23 M. Oak 10

80.00 Set Post corner to Sec. 24 & 25

{ M. Oak 9 S 81 W 87
 { Do .. 6 N 81 W 7.25

Land haul & 2^d. rate -

Timber NW 1/4. Oak -

Ch. L. S 30 N. 183 M.

North On East Side Section 24

40.00 Lit. 1/4 Section Post.
 { M. Oak 9 S 41 M 2.06
 { Y. Oak 6 N 30 M 2.59

74.42 Y. Oak 12
 80.00 Lit Post corner Sec. 13424
 { M. Oak 10 S 37 M 1.53
 { Do. . 10 S 62 W 1.78

Land & Sam

SS

ch. S

T 30 N. R 3 W.

North on East Side Section 13

.9.96 Y. Oak 24
 40.00 Set 1/4 Section Post -
 { M Oak 12 N 81 1/2 W 77
 { Y. Oak 6 N 49 W 44

80.00 Set Post corner Sec. 12 & 13
 { M Oak 12 S 89 1/2 E 5.72
 { No other near

Land 22 rods & north West
 Timber Oak

SS

chr. L. S 30 N. 18 3 M.

North On East Side Section 12

40.00 Set 1/4 Section Post-

{ N. Oak 10 S 69 W. 56
 { G. Oak 18 N 69 W. 88

61.27 N. Oak 12

80.00 Set Post corner Sect. N 12

{ N. Oak 10 N 10 W. 13
 { do ... 10 N 48 W 19

Land & Same

SS

ch. L. S 30 N. P 63 W.

North on East Side Section 1

40.00 Set $\frac{1}{4}$ Section Post.
 { W. Oak 12 N 18 E 1.74
 { Y. Oak 12 N 6 $\frac{1}{2}$ W 1.62

79.00 Enter Met Bone

80.00 Set Lim. Down corner.
 Land level & 2^d note.
 Limbed thinly with Oak

Decr 16th 1833

Var. 6th 16' E

(note - Took Var. on this line at corner Sec. 1 & 12 & found it 6th 40' E. Also took the var. 5 miles South at cor. of Towns 29 & 30. P. 2 & 3 and found it to be 5th 30' E. great local attraction on this line was obliged to run it a 2^d time.

chpts

S 30 N. E 4 M.

(Var. 57° 35' E.)

North On East Side Section 36

Began in Wet Prairie.

40.00 Set 1/4 Section Post-

{ M. Oak 8 N 3 3/4 E. 16.92

{ No Oth

70.00 Leave Wet Prairie -

80.00 Set Post corner Sec 25 & 36

{ M. Oak 10 S 34 1/2 W 1.00

{ Do. . . 10 N 40 E .47

Land mostly Wet Prairie
a few Oaks on North 1/4

Am. L. S 30 A. B 4 M.
North On East Side Section 25

40.00 Set $\frac{1}{4}$ Section Post.
 { M. Oak 10 S $\frac{1}{2}$ W 2.19
 { Y. Oak 18 S $\frac{1}{4}$ E. 72

59.09 Y. Oak 16
 80.00 Set Post corner Sec^s 24 & 25
 { M. Oak 10 S $\frac{1}{4}$ W 2.37
 { Do. 22 N $\frac{1}{2}$ W 1.28

Sand rolling & 22. rot.
 Limber W. & Y. Oak
 And the same

SS

Ch. 6 T30 N. B4 W.

North On East Side Section 24

31.00 Enter Mt Prairie

40.00 Set 14 Section Post -

{ M. Oak 4 S 1 W 3.03

{ Do .. 18 North 8.05

46.00 Leave Mt Prairie -

48.05 M. Oak 18

63.88 M. Oak 30

80.00 Set Post corner Sec. 13 & 24

{ M. Oak 20 N 75 W 13

{ B. Oak 18 S 3 1/2 W 1.19

Sand hole & 22 rods

Lim. M & G. Oak -

Sheds

S 30 N. R 4 W.

North on East side Section 13

20.24 M. Oak 12

40.00 Set 1/4 Section Post

{ G. Oak 18 S 7 1/4 N 45

{ do. 24 N 16 W 69

80.00 Set Post corner Secs. 12 & 13

{ G. Oak 12 S 4 7/8 N 28

{ do. 10 N 7 6 W 44

Land level & 22 rods

Lim. M & G. Oak —

D.

Ch. L. T30A. B4 M.

North On East Side Section 12

.400 Enter West Prairie

40.00 Set $\frac{1}{4}$ Section Post -

{ B. Oak 4 S 5 M. 7.80
 { no other

80.00 Set Post corner Sec. 14 12

{ Y. Oak 6 N 1/2 W 6.54
 { W. Oak 8 N 1 E 6.64

Land mostly $\times 2$? note
 Limber Oak

Ard,

S 30 N. B 4 W.

North on East Side Section 1

4.00 Leave low Mt Proria

35.89 Y. Oak 18

40.00 Set 1/4 Section Post -

{ Gum 4 S 75 N 24

{ Y. Oak 8 N 22 W 36

51.32 Y. Oak 28

80.00 Lim. Low corner

Land level 2.00 ft.

Mt Y. Oak -

Decr 19th 1833

Var. 5.35' E

Chas. T 30 N. R 5 W.

Var. 5° 35' E

North On East Side Section 36
 Begon in dry Prairie

40.00 Set $\frac{1}{4}$ Section Post & Raise Mound

70.00 Trail crs. S. W.

80.00 Set Post corner Sect 25 & 36,
 and Raise Mounds.

Land gently rolling and
 1st rate. Prairie -

SS

Acres

T 30 N 135 W.

North On East Side Section 25

40.00 Set 1/4 Section Post

{ G. Oak 14 N 1/4 E. 550

{ Do .. 18 N 2 1/4 W 586

45.50 Leave Prairie -

80.00 Set Post corner Sect. 24 & 25

{ N. Oak 12 N 51 W 22

{ G. Oak 14 S 71 W 20

Land here 1 1/4 1/2 1st rate -

Prairie - 2 1/2 1/2 2nd rate bottom

55

ch. Ls T 30 N. 135 W

North On East Side Section 24

2.18 M. Oak 30
 4.00 Enter Mt Prairie
 40.00 Set $\frac{1}{4}$ Section Post.
 { M. Oak 6 S $\frac{1}{4}$ E 9.85
 { G. Oak 10 S $\frac{1}{4}$ W 10.00

77.00 Leave Mt Prairie.
 80.00 Set Post corner Sec 2 13 & 24
 { G. Oak 28 S 55 W 2.22
 { M. Oak 20 N 45 W 2.85

Land Mostly Mt Prairie
 a few scattering Oaks.

55

Ch. L. S. 30 N. R. 5 W.

North on East Side Section 13

40.00 Set $\frac{1}{4}$ Section Post.
 { G. Oak 20 N 60 E .77
 { Do. . 28 N 2 W 1.52

80.00 Set Post corner Sec. 12 & 13
 { M. Oak 10 N 7 $\frac{1}{2}$ W 1.41
 { G. Oak 18 S 22 W 2.02

Sand rolling & 18' deep.
 Barrens - thinly timbered with
 Oak.

SS

Ch. L. T 30 N. B 5 W.

North on East Side Section 12

26.24 M. Oak 9

40.00 Set $\frac{1}{4}$ Section Post.

{ M. Oak 10 S 13 W 3.45

{ Do .. 12 S 54 $\frac{3}{4}$ W 3.15

80.00 Set Post corner corner Sec. 12

{ G. Oak 9 N 16 E 3.11

{ Do .. 9 N 25 $\frac{1}{2}$ E 1.13

Land is same.

50

Ans. T 30 N. R 65 W

North On East Side Section 1

20.57 W. Oak 9

40.00 Set 1/4 Section Post.

{ G. Oak 9 N 13 1/2 W 2.39

{ W. Oak 7 S 5 1/2 W 2.77

48.00 Road crs. N. E & S. W.

74.97 W. Oak 28

80.00 Set Lem. Town corner -

Land & Same -

Decr 12th 1833

Var. 5.35' E

55

Ac. S. T 30 N. B 6 W.

North On East Side Section 36

10.84 G. Oak 20.

40.00 Set 1/4 Section Post-

{ G. Oak 14 N 33 W 1.63

{ N. Oak 20 N 87 W 2.78

59.64 Burr Oak 14

80.00 Set Post corner Sect. 25 & 36

{ G. Oak 10 N 20 W 16

{ Do .. 12 S 39 1/2 W 26

Land gently rolling and
1st rate. Lim. Burr N. &
G. Oak

(V. 5.45' E.)

Chs. Lr

T 30 N. R 66 W

North On East Side Section 25

4.33 Hickory 10
 40.00 Set $\frac{1}{4}$ Section Post.
 { M. Oak 18 N 7 W 1.89
 { Do... 18 S 54 W 2.19

60.00 Enter Mt Poonie
 80.00 Set Post corner Sec. 24 & 25
 { M. Oak 10 S 41 $\frac{1}{2}$ E 6.54
 { Do... 20 S 64 E 7.06

Land South Poonie as
 before - Oak

SS

chds S 30 N. 86 W.

North on East Side Section 24

40.00 Set 1/4 Section Post in Water to
deep to raise mound.

GM. Oak 12 N 1/4 W 22.11

[no other

62.00 Enter Island of Timber

67.00 Enter Wet Prairie again

80.00 Set Post corner Sec. 13 & 24

GB. Oak 20 S 1/4 W 14.27

[no other near

Sand mostly Wet Prairie
very poor

Chds

T 30 N. 126 W

North On East Side Section 13

40.00 Set 1/4 Section Post

Ch. Oak 20 N 41 1/3 W 8.71

{ no other

87.00 Set Post corner Sec. 12 & 13
 in Water to deep to raise
 Inland

Land poor Mt Plover

Ch. L. S30 N. E66 W

North on East side section 12

40.00 Leave Mt Prom & Set $\frac{1}{4}$
 Section Port -
 { W. Oak 24 N 20 W 1.26
 { Do .. 18 N 76 W 1.71

54.00 Enter Mt Prom
 81.00 Set port corner Sect. 12
 { Aspin C 541 N 2.08
 { Q. Oak 10 N 64 $\frac{1}{2}$ W 2.50

Sand flat & marshy -
 Timber Oak -

Kids

S 30 N. 136 W.

North On East side Section 1

28.00 Leave Mt Plover

40.00 Set 1/4 Section Post
 { G. Oak 12 N 32 W 4.74
 { H. Oak 24 N 20 W 1.26
 { Do .. 18 N 76 W 1.74
 20 6 S 1/2 W 3.90

63.26 G. Oak 10

80.00 Set Lim. Town corner


Land Corn & 2? not

G. & W. Oak

Dec 15th 1833

Var. 5. 45 E

SS



I do hereby certify, that in
pursuance of a contract with M. T. Williams
Surveyor Genl. of the United States, for
the States of Ohio & Indiana and
Michigan Territory, and Robert
Clark jr. & Sylvester Sibley, bearing
date July 1st 1833. and in strict con-
formity to the laws of the United
States, and instructions of the said
Surveyor General, I have laid out &
surveyed the extension Townships lines
described in the foregoing pages of
this book, which are ^{a copy} the true and
original field notes of the surveys
which they purport to be, as taken
on the sale lines. Certified to at Cin-
cinnati this 12th day of May 1834

Sylvester Sibley S.

Chairman

John Hodgson

Peter S. Galloway

Ass-
sign

William H. Howards
mk

